# Paint Spray Booth Products

BASF | Chemetall is a world-class provider of high performing products manufactured with expertise. BASF | Chemetall is dedicated to delivering outstanding technical support and service for paint spray booths; including paint detackifiers, sludge conditioning polymers, antifoams, biocides, and booth maintenance chemicals.



Product	Form	Туре	Concentration % Based on Paint Overspray	Additional Information
PAINT DETACKIFIER				
Gardofloc® 2000	Liquid	Metal Salt	10–30%	Good general program for a wide variety of paints. Forgiving in systems with solvent contamination. Can float well with resulting clear water.
Gardofloc Q 8528 and 8528/1	Liquid	Organic Polymer	10-40%	Very good program for high solids and water-based paints. Can float well with resulting clear water. Gardofloc Q 8528/1 is a premium, higher actives version.
Gardofloc Q 8543	Liquid	Scavenged Melamine	20-40%	Good general program for a wide variety of paints. Usually run with soda ash/sodium carbonate for pH control.
Gardofloc Q 8608	Liquid	Blend	5–25%	Highly concentrated. Very good program for solvent or water-based paints. Innovative green technology based on renewable resource.
Gardofloc Q 8721	Liquid	Melamine Formaldehyde	20-40%	Good general program for a wide variety of paints. Can be run with caustic or soda ash/sodium carbonate for pH control.

Product	Form	Туре	Concentration % Based on Paint Overspray	Additional Information
FLOAT/DEWATERING POLYMERS				
Gardofloc PFC 160	Liquid Emulsion	Cationic	Make down first to 0.5 to 1.0% solution. Add as needed.	Cationic flocculant typically used in Gardofloc 2000, Q 8608, Q 8528 and Q 8543 systems. High charge.
Gardofloc Q 8600	Liquid	Cationic	Ready to use	High charge prediluted cationic flocculant for floatation systems. Does not require a polymer make down system.
Gardofloc PFC 853 (GCC 853)	Liquid Emulsion	Anionic	Make down first to 0.5 to 1.0% solution. Add as needed.	Anionic flocculant. High molecular weight and highly concentrated.
Gardopure GPWT 3022	Liquid	Anionic	Ready to use	Anionic flocculant, prediluted for floatation systems. Does not require a polymer make down system.

**BASF** We create chemistry Chemetall expect more •

Product	Form	Туре	Concentration % Based on Paint Overspray	Additional Information
PH/ALKALINITY ADJUST				
Gardobond Additive H 7211/1 (Adjust 6)	Liquid	Caustic	As needed to hit target	Used for pH control in paint spray booth programs.
Gardobond® Additive H 7212	Liquid	Caustic	As needed to hit target	Used for pH control in paint spray booth programs.
Gardobond Additive H 7221	Liquid	Soda Ash	As needed to hit target	Can work with all detackifiers where carbonate/silicate blend is more effective than caustic.
Gardobond Additive H 8712	Liquid	Sodium Carbonate and Silicate	As needed to hit target	Used for pH control in paint spray booth programs.

Product	Form	Туре	Concentration % Based on Paint Overspray	Additional Information
ANTIFOAM				
Gardobond Additive H 7091	Liquid	Oil-Based	Neat or diluted	General paint spray booth system antifoam. Can separate at cooler temperatures.
Gardofloc Q 8745	Liquid	Water Extended	Neat or diluted	Very effective antifoam for water based and solvent based systems. Cost-effective.
Gardofloc Q 8761	Liquid	Oil-Based	Neat or diluted	General paint spray booth system defoamer. "Knock down" properties.
Gardobond Additive H 7708	Liquid	Emulsion	Neat or diluted	General paint spray booth system emulsion type anti-foam.

Product	Form	Туре	Concentration % Based on Paint Overspray	Additional Information	
ANCILLIARY PRODU	ANCILLIARY PRODUCTS				
Gardofloc Q 8755	Liquid	Cationic, Granular	As needed	Biodispersant to aid in removal of biofilms in paint sludge systems. Typically used in conjuction with biocide treatments.	
Towerbrome 60M	Liquid	Biocide	As needed	Bromine based biocide for bacteria control.	
Towerbrome 90M	Powder	Biocide, Tablet Form	As needed	Bromine based biocide for bacteria control.	

## Cut it. Clean it. Coat it. Control it. Conserve it.

#### North American Headquarters

675 Central Avenue New Providence, NJ 07974 Tel: 908-464-6900 Toll-free: 800-526-4473 Fax: 908-464-7914

#### www.ChemetalINA.com

#### Chemetall Canada Limited 5025 Creekbank Road, Building A, Floor 2 Mississauga, Ontario, Canada L4W 0B6 Tel: 905-791-1628 Toll-free: 877-311-1471

### Chemetall Mexicana, S.A. de C.V.

Avenida El Tepeyac No. 1420-B Parque Industrial O'Donnell-Aeropuerto El Marqués, Querétaro C.P. 76250, México Querétaro Tel: +52 (442) 227 2000 Monterrey Tel: +52 (81) 8371 2517 Chemetall U.S.

1100 Technology Drive Jackson, MI 49201 Tel: 517-787-4846 Toll-free: 877-941-3800 Fax: 517-787-5538

The product information contained in this brochure has been compiled to the best of our knowledge on the basis of thorough tests and research work and with regard to the current state of our practical experience in the industry. This product information is non-binding. Our statements relating to possible uses of the product do not constitute a guarantee that such uses are appropriate in a particular user's case or that such uses do not infringe the patents or proprietary rights of any third party. The user should undertake sufficient verification and testing to determine the suitability of the product for its particular purpose. We assume no risk or liability whatever in connection with any particular use, if not expressly confirmed by us in writing. Therefore, Chemetall grants no warranty and does not accept any liability in connection with this product information or its use. Except where noted otherwise, all registered trademarks are owned by Chemetall or its affiliated companies. The reproduction of any or all of the information contained in this brochure is expressly forbidden without Chemetall's prior written consent.